

## PREMISE TREATMENT



# Fly and Roach Control

- ✓ Kills Adult House Flies, Stable Flies, Drain Flies, Gnats, Mosquitoes, and Cockroaches
- ✓ Ready to use
- ✓ Contact insecticide
- ✓ Safe for use around people and animals when used as directed
- ✓ For use on livestock premises, including: poultry operations, dairy barns, calf hutches, horse barns, swine quarters, pens and shelters

### NET CONTENTS: 2.5 gallons (9.46 L)

#### Active Ingredients:

Geraniol.....	1.36%
Cinnamon Oil.....	0.20%
Inert ingredients*.....	98.44%
<b>TOTAL.....</b>	<b>100.0%</b>

\*White mineral oil, isopropyl myristate, butyl lactate, triethyl citrate, vanillin  
Contains petroleum distillates

#### Keep Out of Reach of Children

**CAUTION: See Precautionary Statements**



#### Manufactured by:



5151 McCrimmon Parkway, Suite 275  
Morrissville, NC 27560

*PureScience and TyraTech logo are trademarks of TyraTech, Inc.*

*Patents: [tyratech.com/legal](http://tyratech.com/legal)*

This product has not been registered by the United States Environmental Protection Agency. TyraTech, Inc. represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

40350FRT2017258

### First Aid

- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- **IF ON SKIN:** Wash thoroughly with soap and water. If irritation develops, contact a doctor or poison control center for treatment advice.
- **IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- **IF INHALED:** Move affected person(s) to fresh air. Call a doctor for further advice if there is difficulty breathing.

Have the product label or container with you when seeking treatment or medical advice.

### Note to Physicians

Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

### Precautionary Statements

#### Hazards to Humans

**CAUTION:** Not for use on humans. Causes serious eye irritation. Prolonged or frequent, repeated skin contact may cause allergic reactions in some individuals.

**Personal Protective Equipment (PPE):** Appropriate personal protection equipment should be used where and when applicable. Applicators should wear protective gloves, clothing, eye protection, face protection.

User Safety Recommendations: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid contact with eyes, skin, clothing, or plants. Avoid breathing spray. Wash contaminated clothing separately.

### Physical & Chemical Hazards

Do not apply on or around electrical wiring. Do not apply to appliances when hot. Treated surfaces may be slippery when wet. Excessive residue may be wiped up with a clean cloth.

### Use Restrictions

- Apply this product only as specified on this label.
- Only protected applicators may be in treatment area during application.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift.
- Product was designed for premise and spatial application around and over animals where animals may be contacted through drift. Product was not designed to treat ectoparasites on animals.
- **DO NOT** remain in treated area. Wait until product has settled to return to the area. It is not necessary to remove animals from the area being treated.

### Directions for Use

For use wherever insect control is needed, including barns, stables, milking parlors, dairies, swine quarters, poultry houses, calf hutches, horse barns, pens and shelters, and other associated areas. Product use permitted in other areas or facilities when product is used according to label directions.

### For Flying Insect Control in Production Facilities

Product is ready to use – **DO NOT DILUTE.** Use high or low rates as desired using the chart below. Prior to application, turn off cooling and evacuation fans. Apply product using a gas-powered backpack sprayer calibrated to deliver the following rates at a fine mist. Disperse broadly throughout the environment in all locations including equipment and litter piles making sure the product contacts as many insects as possible. Keep fans off until product has settled (about 15 minutes). **DO NOT** remain in treated area after application. Wait until product has settled to return to the area. When used in dairy barns or facilities, close milk bulk tank lids to prevent contamination. Reapply as often as needed.

#### APPLICATION RATES

HIGH RATE: for high infestations of flies	LOW RATE: for low infestations of flies or maintenance
12 fl. oz./1000 ft <sup>3</sup> (0.32 L/1000 ft <sup>3</sup> )	7 fl. oz./1000 ft <sup>3</sup> (0.21 L/1000 ft <sup>3</sup> )

### For Cockroaches

Product is ready to use – **DO NOT DILUTE.** Apply product using a pneumatic-pump sprayer. Treat areas inside and outside of production facilities, where cockroaches congregate, targeting harborage and spaces where insects may be present such as ceiling joists, walls, floors, and around pipes or other structural features. Spray to the point of saturation, contacting as many insects as possible.

### Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store at room temperature in a dry area away from heat or open flame. **CONTAINER HANDLING:** Do not reuse this container. **IF EMPTY:** When container is empty, rinse and recycle if available or dispose of in sanitary landfill. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



3 58962 40350 7